

Fig.1.




Fig.2.





Fig.3.



BEST AVAILABLE COPY

Fig.4.

[illegible]

BEST AVAILABLE COPY

Fig.5.

DRINK DETECTIVE

IF YOU HAVE A POSITIVE TEST RESULT

- DO NOT DRINK THE BEVERAGE. TRUST NO-ONE
- Give the drink to someone responsible. Consider phoning the police.
- A drug can take effect in as little as 20 minutes. If you drank from a spiked drink, ask a trusted friend to seek medical advice.
- If you are not with a trusted friend, tell the bar Manager and seek medical advice.
- IF YOU THINK YOU HAVE A SPIKED DRINK, YOUR ONLY CONCERN SHOULD BE YOUR PERSONAL SAFETY.

Sales help to support The Roofie Foundation's work with victims of drug-assisted assault. Visit www.roofie.com or call our helpline: +44(0)1332 362832

© B.I.L. 2004

HOW TO TEST

Put 1 drop of the drink onto the centre of the test pad.

CAUTION

Instant Blue colour change

RESULTS

Test here

1 drop

Outside

HOW TO TEST **K TEST**

Put 1 drop of the drink onto the centre of the test pad.

RESULTS

Red/Orange colour change
May have white centre

CAUTION

1 drop

HOW TO TEST **B TEST**

Using the dropper, put 3 drops onto the test area as shown below (for best results leave 5 seconds between drops). After 2 minutes read against results shown below.

RESULTS

2 lines - OK

1 line - CAUTION

WHAT THE DRINK DETECTIVE(TM) DOES AND ITS LIMITATIONS

The Drink Detective(TM) is designed to test for the presence of three substances: benzodiazepines (which include Rohypnol and Valium), illicit GHB (gamma-hydroxybutyrate) and ketamine. The Drink Detective(TM) does not test for any other drugs or substances. It is designed to test for minimal standard dosages of these substances and quantities below these levels may not be detected. Due to the sensitivity of the test, it is possible that the presence of certain substances could produce a false positive. In particular, orange and tomato juices and certain milk products might produce a false positive for ketamine. Milk products and soda waters containing bicarbonate of soda might produce a false positive for GHB. Test your favourite drink and be alerted to different reactions. Using this test does not remove your responsibility to drink safely. Follow instructions exactly. Do not alter the test. Do not place in a drink or eat the test. Keep the test away from children, animals, moisture and chemicals. No drink which tests positively should be consumed. You must also be aware that The Drink Detective(TM) only tests for benzodiazepines, illicit GHB and ketamine. A drink, even one that has produced a negative test result, may still be unsafe as it may contain dangerous substances other than those tested for. Please take care. If you are in any doubt, do not drink. The manufacturer/seller does not make any representation or warranty in respect of this product save as specifically set out above. The manufacturer/seller cannot be held responsible for the presence of any drug other than as specified above. The manufacturer/seller excludes all liability for consequential and all other loss to the extent permitted by law. The manufacturer's/seller's liability for a defective product is limited to replacement or refund of the price paid.

Inside